



District of Port Hardy

8900 Park Drive ♦ PO Box 68
Port Hardy BC V0N 2P0 Canada
Telephone: (250) 949-7779 ♦ Fax (250) 949-7465
Email: pw@porthardy.ca ♦ www.porthardy.ca



Request for Quotation

Public Works Yard Fencing Project

The District of Port Hardy is requesting submissions for the supply and installation of a chain link fence around the **Public Works Yard at 8900 Park Drive**, Port Hardy BC.

This is a Request for Quotation only. By requesting quotations, the District of Port Hardy does not intend to enter into, and shall not be considered to have entered into, contractual relations upon the submission of a quotation by any person and no "Contract A" shall be formed between the District of Port Hardy and any supplier upon the submission of a quotation.

Scope of Work

The District of Port Hardy is seeking the services of a qualified fencing contractor to complete the following:

- Removal of the existing chain link perimeter fence;
- Supply and installation of a new chain link perimeter fence.

Specifications

- 460m of 2.43m high, 9-gauge galvanized chain link;
- 2 lockable vehicle gates 6m wide by 2.5m in height;
- All fencing will have 2 barbed wire strands on top;
- All posts will be set /anchored in concrete and spaced every 2.5 meters

Materials

Quantity	Units	Item
920	Metres	1 5/8" diameter, Commercial top, middle, bottom rails
8	Posts	2 7/8" diameter, Schedule 40-line posts, gate & corner posts
180	Posts	2 3/8" diameter, Schedule 40-line posts

Note: Pipe connections, posts, rails, mesh and fittings on the chain link fence will be galvanized.

Options to be quoted separately

- All rails, posts and gates powder coated black;
- Black mesh.



District of Port Hardy



8900 Park Drive ♦ PO Box 68
Port Hardy BC V0N 2P0 Canada
Telephone: (250) 949-7779 ♦ Fax (250) 949-7465
Email: pw@porthardy.ca ♦ www.porthardy.ca

Quotation Requirements

Only complete submissions will be accepted. Partial submissions will not be considered. Submissions may be revised by written amendment, delivered to the email before closing date.

Should the proponent consider additional services and materials appropriate, it should be recommended in their Quotation. The Proponent is to cost these additional items separately.

The Quotation must include estimated hours and installation schedule. A letter of introduction including the name and address of the respondent and details of any potential partnerships and/or business agreements contemplated for the project.

Quotations will be evaluated based on price, completion schedule and chain link fence installation experience.

Quotations will be accepted up to 2:00 pm (**local time**) date: June 22, 2020.

Quotations must be submitted by email to bforsyth@porthardy.ca or in a sealed envelope, clearly marked with the suppliers name and the project name.

Any questions please contact:

Bruce Forsyth, CPWS
Public Works Supervisor
District of Port Hardy 250-949-7779
bforsyth@porthardy.ca